

VI. *Addition to Memoir on the Resultant of a System of two Equations.*

By Professor CAYLEY, F.R.S.

Received August 6,—Read November 21, 1867.

THE elimination tables in the Memoir on the Resultant of a System of two Equations (Phil. Trans. 1857, pp. 703–715), relate to equations of the form $(a, b \dots \mathfrak{X}x, y)^m = 0$, *without* numerical coefficients; but it is, I think, desirable to give the corresponding tables for equations in the form $(a, b, \dots \mathfrak{X}x, y)^m = 0$ *with* numerical coefficients, which is the standard form in quantics. The transformation can of course be effected without difficulty, and the results are as here given. It is easy to see *à priori* that the sum of the numerical coefficients in each table ought to vanish; these sums do in fact vanish, and we have thus a verification as well of the tables of the present Addition as of the tables of the original memoir, by means whereof the present tables were calculated.

Table (2, 2).

Resultant of
 $(a, b, c\mathfrak{X}x, y)^2$,
 $(p, q, r\mathfrak{X}x, y)^2$.

e^2	p^2
+1	
ab	q^2
-4	
ac	pr
-9	
bc	q^2
+4	
bc	pq
-4	
e^2	p^2
+1	

Table (3, 2).

Resultant of
 $(a, b, c, d\mathfrak{X}x, y)^3$,
 $(p, q, r\mathfrak{X}x, y)^2$.

e^3	p^3
+1	
ad	q^2
-6	
ac	pr^2
-6	
bc	q^2
+9	
	+12
ad	pqr
+6	
bc	q^2
-18	
	-8
bd	p^2r
-6	
e^2	p^2
+9	
	+12
cd	p^2q
-6	
e^2	p^2
+1	

Resultant of
 $(a, b, c, d, e \wr (x, y))^4,$
 $(p, q, r \wr (x, y))^2.$

Resultant of
 $(a, b, c, d)(x, y)^3$
 $(p, q, r, s)(x, y)^3$.

The diagram illustrates the decomposition of the tensor product of two irreducible representations of the Lie algebra $\mathfrak{so}(8)$. It consists of three diamond-shaped grids of boxes, each representing a different component of the decomposition. The boxes are labeled with various combinations of letters and superscripts, representing the weights of the representations.

The top grid has boxes with values $+1$, -9 , -18 , $+27$, $+27$. The middle grid has boxes with values -3 , $+27$, $+27$, -81 , -27 . The bottom grid has boxes with values -9 , -54 , -54 , $+81$, $+81$.

* N.B. In the corresponding table of the memoir, there is an error in the signs of the last two terms; they should be

* N.B. In the corresponding table of the memoir, there is an error in the signs of the last two terms; they should be

Resultant of
 $(a, b, c, d, e \wr x, y)^4,$
 $(p, q, r, s \wr x, y)^3.$

[illegible]

	a^2de	pq^2	$prst$	q^2st	p^2s	q^2t	s^2
$adce$	+80	+192	-1280	+576	-768	+4608	-3456
bce	+192	-4608	+1536	+6912	+4608	-9216	
$abcd^2$	-768	+4608	0	0	-4096		
ac^2d	-1280	+1536	+8192	-9216			
bc^2d	+576	+6912	-9216				
bc^2s	+4608	-9216					
bc^2t	-3456						

	a^2e^2	p^2q^2	$prst$	p^2r^2	q^2r^2	pr^2s	q^2s^2	s^4
$adde$	+6	-128	-144	+384	+512	-2304	+1296	
ac^2e	-128	+2560	0	-1536	-8192	+9216		
b^2ce	-144	0	+5184	-6192	-6912	+9216		
acd^2	+384	0	+5184	-6192	-6912	+9216		
b^2cd^2	+384	-1536	-6912	+9216				
bc^2d^2	+512	-1536	-6912	+9216				
bc^2s	-2304	-8192	+9216					
e^4	+1296	+9216						

ade^2	p^2st	pqt	q^2t	pqs^2	pr^2s	q^2rs	s^3
ade	+80	+192	-768	-1280	+576	+4608	-3456
bde	+192	-4608	+4608	+1536	+6912	-9216	
bce	-1280	+1536	0	+8192	-9216		
ade^2	+576	+6912	0	-9216			
bce^2	-768	+4608	-4096				
bde^2	+4608	-9216					
c^2d	-3456						

ace^2	p^2rt	pqt	p^2s^2	pqr^2	q^2s	pr^3	s^3
ace	+72	-192	-288	+2304	-3072	-2592	+3456
bce	-288	+768	+768	-4608	0	+3456	
ace^2	+192	-256	+768	-4608	+9216		
bce^2	+2304	-4608	-4608	+4096			
c^2e	-2592	0	+3456				
bde^2	-3072	+4096					
c^2d^2	+3456						

	p^2q^2	p^2q^3	p^2q^4	p^2q^5	p^2q^6
ade^2	-16	-480	+256	+1728	-1536
bce^2	-480	+576	+3072	-3456	
bd^2c	+256	+3072	-3456		
c^2de	+1728	-3456			
cd^2a	-1536				

	p^2q	p^2q^2	p^2q^3	p^2q^4	p^2q^5
ae^3	-4	+64	+72	-384	+256
bd^2e	+64	-256	-1152	+1536	
c^2e^2	+72	-1152	+1296		
cd^2c	-384	+1536			
d^4	+256				

	p^2q^2	p^2q^3	p^2q^4
be^3	-48	+288	-256
cd^2a	+288	-576	
d^2e	-256		

	p^2q	p^2q^2
ce^3	-72	+96
d^2c^2	+96	

	p^2q
de^3	-16
e^4	+1